

CLARIN & Libraries



Martin Wynne

martin.wynne@ling-phil.ox.ac.uk

Faculty of Linguistics, Philology and Phonetics,
University of Oxford

National Coordinator, CLARIN-UK

CLARIN and Libraries Workshop


KB National Library of the Netherlands

Monday 9th May 2018

The motivation for the workshop

- A number of major initiatives were emerging which aimed to delivering digital text collections, for readers and also for research use
- but projects were often somewhat disconnected from each other
- and also disconnected from research infrastructures
- So, it was a good time to discuss sharing experiences, methods, tools, and plans, and looking for some potential areas of collaboration

**CLARIN and Libraries,
also known as:
Interoperability of Text Platforms for Digital Libraries**



CLARIN: data, tools, and methods

- *Data*: a corpus containing multiple texts representative of a particular language variety
- *Tools*: Concordance, collocation, clusters, keywords; working with annotation and metadata
- *Methods*: Data-driven, evidence based research into language; distant reading

Digital Libraries: data, tools, and methods

- *Data*: digitized copies of books and other text collections
- *Tools*: Library records search, text display for online reading and download
- *Methods*: Accessing the content of books; close reading

CLARIN: data, tools, and methods

- *Data*: a corpus containing multiple texts representative of a particular language variety
- *Tools*: Concordance, collocation, clusters, keywords; working with annotation and metadata
- *Methods*: Data-driven, evidence based research into language; distant reading

Language Resource Repositories

- *Data*: corpora **and** digital text collections
- *Tools*: Sometimes with tools that can be connected to the data
- *Methods*: Facilitating corpus linguistics methods

Digital Libraries: data, tools, and methods

- *Data*: digitized copies of books and other text collections
- *Tools*: Library records search, text display for online reading and download
- *Methods*: Accessing the content of books; close reading

Select corpora by language or collection:

Languages: All - Abkhazian (1) - Bulgarian (1) - English (17) - Faroese (1) - French (1) - Georgian (8) - German (1) - Mingrelian (1) - Norwegian (3) - Norwegian Bokmål (12) - Norwegian Nyorsk (8) - Old Georgian (1) - Old Norse (4) - Scots (1) - Slovenian (1) - Spanish (4) - Svan (1)

Collections: All - ASK (4) - ABNC (1) - Aviskorpus (3) - GNC (11) - ICAME (10) - Menota (5) - PubNoEnPC (4) - Talebanken (4)

Reset

Choose a corpus from the list below. Some corpora are only available when you have signed in.

Corpus	Language(s)	Size (words & punctuation)	Updated	Description	License
Menota (trans)	Norwegian Bokmål (nob)	262 097	2020-11-05	Menota Archive	✓
Dialektendring	Norwegian Bokmål (nob)	4 467 039	2020-12-14	Transcribed and annotated dialect recordings	(CLARIN_RES-PRIV)
ASK Hovedkorpus	Norwegian Bokmål (nob)	768 043	2020-04-25	ASK is an electronic, searchable text corpus of Norwegian as a second language, with links between linguistic data and personal data.	(CLARIN_RES-PRIV)
Menota	Old Norse (non)	2 017 012	2022-03-15	Menota is an archive of Medieval Nordic Texts.	✓ CC-BY-SA
GNC Old Georgian	Old Georgian (ogt)	7 101 021	2022-02-14	The Georgian National Corpus – Old Georgian	✓ CC-BY-NC
Industristrad	Norwegian Nyorsk (mn)	1 775 521	2020-11-01	Transcribed and annotated dialect recordings	(CLARIN_RES-PRIV)
Menota-test	Old Norse (non)	158 403	2022-03-15	This is a test version of Menota, with some test new features and style sheets.	✓ CC-BY-SA
Menota-diploma	Old Norse (non)	2 366	2022-03-14	Menota Archive, diploma	✓
Menota-nrune	Old Norse (non)	1 871	2022-04-08	Menota Archive, runic inscriptions	✓
GNC Middle Georgian	Georgian (kat)	1 432 305	2022-02-14	The Georgian National Corpus – Middle Georgian	✓ CC-BY-NC
ASK Korsettkorpus	Norwegian Bokmål (nob)	785 451	2020-04-25	ASK is an electronic, searchable text corpus of Norwegian as a second language, with links between linguistic data and personal data, established by the Norwegian Second Language Corpus Project.	(CLARIN_RES-PRIV)
GNC Modern Georgian	Georgian (kat)	1 993 022	2022-02-20	The Georgian National Corpus – Modern Georgian	✓ CC-BY-NC
ASK Tilllegg	Norwegian Bokmål (nob)	44 529	2020-04-25	Supplemental texts for ASK	(CLARIN_RES-PRIV)
Talesk	Norwegian Nyorsk (mn)	1 560 968	2020-11-01	Transcribed and annotated dialect recordings	(CLARIN_RES-PRIV)
GRC	Georgian (kat)	202 339 621	2021-07-06	Georgian Reference Corpus	unspecified
Færøyskur talmálsbanki	Faroese (fao)	471 178	2020-04-25	Transcribed and annotated dialect recordings	(CLARIN_RES-PRIV)
GDC	Georgian (kat)	1 694 362	2020-04-25	Georgian dialect corpus	✓
SSGO	Georgian (kat)	152 708	2020-04-26	SSGO – The sociolinguistic situation of measurement terms	✓ (A) CLARIN_ACA-NC-LOC-PRIV-ND*



Corpuscle :: ICAME – BROWN Family :: Concordance

 | window: sentence | Saved queries ...

Done. Running time: 0.02 sec. (0.01 CPU sec.)

Type: kwic Show line filter Attributes ... Structures ... show in match | Page size: Context size: 500px Hit 1 – 30 of 244 | | Go to: | Download Excel mode | Copy query PID

match

The school was also a focal point for community activities, with parents' groups, a toy library and have invited proposals which must include provision for a public library website would pull together searchable information on research ratings, dropout rates, any way. We will identify you and bring you to justice." Blockbuster story down at the library 's area, and access to 1.7 million books, CDs and DVDs. The service will allow library users to log on to the website and select any items they want to be delivered to their desired library ' text message or voicemail when a book is ready." This system has helped bring the library over we use our services and it could n't be easier. They can borrow a book from one library s it would be from Henleaze. We hope this encourages more people to use their local library libraries have been opened to help reach a new generation of users. Bristol 's newest new facilities were also established in Bedminster and St Paul 's in 2005. The Bristol library into the 21st century. And now the service wants everyone to know there is more to a library also make libraries an attractive prospect for the city 's large student population. And library larger range of services. The latest computer systems bring a speed and efficiency to library to library services that would have been impossible just a decade ago." For local library telephone; access to the internet, and those who do n't have only to visit their local library the hindrances of the TV studio and instead interviews his guests at his home, in his library free games, pounds 349.99 for the 60GB model. Microsoft 's Xbox 360, with its broad library ; with bespoke controllers, and they allow you to upload your own content. The 360 's library real people to make the parish a safer place? Volunteers needed? Ring your reference library found in typescript, with additional photocopied pages and notes, in Salisbury public end of May. The four hats and two scarves in Book 16 are excellent patterns for your library own distinctive way, what is generally regarded as the filthiest joke in the jokester 's library rters and cameramen are being scrambled in all directions, producers are working on library everywhere. After further investigation (R Julia borrowed a book on hamsters from the library oral further explore the significance of her books being incorporated into Huygens 's library significance of her books being incorporated into Huygens 's library and the university library Giustiniani, but he had a zeal for scholarship, and from around 1620 he assembled a library air Grand Tour. After the death of Federico Cesi in 1630 Cassiano also preserved the library arms and performing well in interviews. You might find useful information in your local library

library , language classes, a breakfast club, self-defence classes, keep fit classes and more library and community facilities. The deadline for proposals is January 31. " No money for fo library facilities and university estates. " Universities will also be urged to provide data not ye library From today, people in Bristol will have access to almost two million books, CDs and D library members to use all 100 libraries from Yate to Yeovil and to borrow up to 20 items at a library . We can also inform them by text message or voicemail when a book is ready." This library into the 21st century. It will give people access to a huge variety of books and other it library and return it to any other in the area. We are giving people straightforward access to library library . " In May, the Evening Post launched the More Than Books campaign to show peop library was opened in Knowle 's Broadwalk Shopping Centre in February, and new facilities library 's service has been hard at work, bringing its libraries into the 21st century. And now th library than a load of dusty old books. As well as hundreds of thousands of books of all kind: library members can hire out a range of films, music and computer games for a small fee. TI library services that would have been impossible just a decade ago." For local library inform library information, go to www.bristol-city.gov.uk/libraries. Find out more about Libraries Wes library . Communications technology is developing at an unprecedented pace. The technolo library library . Despite its lofty self-assessment as 'a series of vital dialogues about the arts', the s library of decent software and an extra year on the market, is probably the best choice for a library a . (Essentially it involves a circus family indulging in the vilest and most bizarre sexual library material, graphics and maps. Potential interviewees are being tracked down. But ther library) we discovered it was a Russian hamster and that they were n't the friendliest of crea library and the university library of Leydon. An interesting appendix is attached which includes several of the letters. E library and museum that included thousands of items. After Cassiano 's death in 1657 the co library , and there are useful tips online at: * Worktrain: www.worktrain.gov.uk * Careers Sco library

Diacollo: visualizing collocations over time



Home Info Help Tutorial

jurish@bbaw.de

DiaColloDB v0.12.020 / DiaColloDB::WWW v0.02.005

Imprint · Privacy

1.1013 sec

Corpus: Deutsches Textarchiv (DTA-Kernkorpus)


-τιουν>ιουνυ-αεψ-υ

Už dnes o tom ale na summitu NATO v Istanbulu pomoc požádala její matka . Následujícím popisem . A to nepěstoval žádná zvláštní pouta s vlastním svým otce , ani pokud to počasí dovolí . V nejbližší době spolu budeme neplatit za odvedenou práci dělníkům ? Sice teď zrovna rusky	mluvil	s prezidentem Václavem Klausem . Fotbalistům Boleslav se v lize
	nemluvě	o několika desítkách tisíc kostelů v majetku měst . Který
	nemluví	maďarsky . Více informací nebo CD s obrázky si můžete
	mluvit	, ale momentálně můj odchod nepřichází v úvahu . "
	nemluvím	, ale myslím si , že tak během 14 dnů
do přečíslení dva ba jednoho . Ne že bych dokázal Přestože je u nás už mnoho vietnamských dětí , které a kariéra sáňkaře Georga Hackla Více jak třetina obyvatel tu . Od chvíle , co se o tom dozvěděl ,	mluvit	, ale už docela dobře rozumím . Slovenská metoda ,
Moderátorka : Říká doktor Otakar Hulec a když už tady o vyvlastňování ve " veřejném zájmu " , má smysl od smrti princezny Diany v roce 1997 nikdy s policí silnic a o valivém hluku od kol snad ani nelze kteří jí o to požádali . Znovu prý spolu budou . Iversen (Nor .) , 10 . "	mluví	lépe česky než vietnamsky , většina Vietnamců hovoří česky velmi
zdrojů v příslušné oblasti apod . O ženách obecně pak Nečas by zřejmě chtěl , aby se o jeho vládě fiktivních pravomocí) , jako někdo , kdo si dovolil ke konzervativnější monetární politice . Konečně britský deník The Independent se dá . A jen pětina říká , že raději	nemluvila	německy . Není to jistě málo , ale i kdyby
Hudební aranžmá je přítomno i v designu . Když jsem rozhovoru sdělil později na tiskové konferenci : " Dnes jsem tématem a že se o nich bude v příhodný čas že jsem na technopárty byl , dobře se bavil a	mluvil	o ničem jiném než o svatbě . Návrh předkládal vládě
	mluvíme	o Kalinenu , paní doktorko , můžete říci , jak
	mluvit	o ekologii jako o levicovém tématu ? Rozhodčí : K
	nemluvila	, protože měla strach , že bude zavražděna , ale
	mluvit	; v kabině Pola je prostě opravdu ticho . S
	mluvit	ve čtvrtek v poledne a poté budou připraveni všechna tři
	Mluví	ze mě osobní zkušenost , protože vaše knihy a nahrávky
	mluví	jako o čemsi , co nechápe , ale na druhé
	mluvilo	jako o té , která vyrovnila rozpočty . Hned zkouším
	mluvit	se svým poslancem (a tím podezřelý z ovlivňování /
	mluví	o morální básnivosti , vytěžené z popela holocaustu : „
	nemluví	o nemozech . ► nová verze 3G mobilu READIUS Už
	mluvil	o přírodě , při chůzi po lese člověka napadnou zajímavější
	mluvil	s velmi chytrým a milujícím mužem a musím přiznat ,
	mluvit	. A jisté city , jak je dobré známo ,
	mluvil	jak s účastníky (bylo mezi nimi dost studentek a



[Logout](#)

META



EE Correspondence (critical edition)

general editor: R. V. McNamee

Editorial project

Digital correspondence of Voltaire

general editor: N. Cronk

letter editor: T. D. N. Besterman

published online: 2008

letter n° : D1

crossref DOI

[https://doi.org/10.13051/ee:
doc/voltfrVF0850001alc](https://doi.org/10.13051/ee:doc/voltfrVF0850001alc)

Writer(s)

Armand Arouet

writer's age: 19

Voltaire [François Marie Arouet]

writer's age: 10

Recipient(s)

Françoise Aimée Baillif Du Pont

recipient's age: [unknown]

Dates

18 December 1704 (Julian)

29 December 1704 (Gregorian)

Revolutionary not applicable

«first < previous

showing letter 1 of 19604

[next](#) > [last»](#)

[return to list of letters](#)

Electronic Enlightenment Scholarly Edition of Correspondence

Armand Arouet and Voltaire [François Marie Arouet] to Françoise Aimée Baillif Du Pont^{a 1}

Monday, 29 December 1704

[DOCUMENT](#) | [ENCLOSURES](#) | [RELATED](#) | [VERSIONS](#) | [PARENT](#)

Paris, le 29 décembre 1704

Madame et très honorée cousine,

Mon papa m'a fait cette grâce de me comander d'estre son secrétaire ce premier d'année, et vous tesmoigner les humbles respects de nostre maison, avec les veux et prières que nous faisons pour vostre prospérité, santé, bonheur et satisfacion, qui ne sont en doute de vostre costé eu égard à nous. Il vous suplie, madame ma cousine, le croire toujours bon parent et ne vous despartir de l'affection que vous devez à sa famille, et moy, le secrétaire, je finiray en me disant, et Zozo,

Vos très humbles et respectueux cousins,

Zozo
Arouet

«first < previous

showing letter 1 of 19604

[next](#) > [last»](#)

[return to list of letters](#)

Hard problems with old texts

Mon papa m'a fait cette grâce de me comander d'estre son secretaire ce premier d'année, et vous tesmoigner les humbles respects de nostre maison, avec les veux et prières que nous faisons pour vostre prospérité, santé, bonheur et satisfacion, qui ne sont en doutte de vostre costé eu égard à nous. Il vous suplie, madame ma cousine, le croire toujours bon parent et ne vous despartir de l'affection que vous devez à sa famille, et moy, le secretaire, je finiray en me disant, et Zozo,

Vos très humbles et respectueux cousins,

Zozo

Arouet

<text id="voltfrVF0850001a1c">

<p>

Paris Paris NAM Paris
, , PUN ,
le le DET:ART le
29 29 NUM @card@
décembre décembre NOM décembre
1704 1704 NUM @card@

</p>

<p>

Madame Madame NOM Madame
et et KON et
très très ADV très
honorée honorée ADJ honoré
cousine cousine NOM cousin
, , PUN ,

</p>

<p>

Mon Mon DET:POS mon
papa papa NOM papa
m' m' PRO:PER me
a a VER:pres avoir
fait fait VER:ppr faire
cette cette PRO:DEM ce
grâce grâce NOM grâce
de de PRP de
me me PRO:PER me
comander commander VER:infi commander

estre être VER:infi être
son son DET:POS son

secrétaire PRO:DEM ce
ce ce PRO:DEM ce

premier premier NOM premier
d' d' PRP de
année année NOM année

,

et et KON et
vous vous PRO:PER vous
témoigner VER:infi témoigner

les les DET:ART le
humbles humbles ADJ humble

respects respects NOM respect
de de PRP de

nostre nostre DET:POS notre
maison maison NOM maison

témoigner

Which allows us to search by lemma, pos, original form, or modernized form

Your query “{pouvoir}_V*” returned 63,927 matches in 23,424 different texts (in 18,072,242 words [37,655 texts]; frequency: 3,537.30 instances per million words) [1.126 seconds]

< << [≥](#) [≥≥](#) Show Page: 1 Line View Show in random order New query ▾ Go!

No	Text	Solution 1 to 50	Page 1 / 1279
1	addijoEE0050442a1c d' hommes , qui est une des plus considerables pertes , que	puisse	faire une Colonie naissante , le do
2	addijoEE0050442a1c en leur envoyant trois ou quatre cents hommes , afin qu' ils	puissent	avec ce secors finir la guerre dans
3	addijoEE0060487a1c Copie de leur accusation , afin que sa defence et sa response	puissent	arriver ici et être considerées ense
4	addijoEE0060487a1c publique prescrite par les dites instructions de Vôtre Majesté , ils ne	pouvoient	pas esperer aucun succès . Afin d
5	addijoEE0060514a1c St . James , et à Madame la Princesse , qu' elle	pouvoit	rester dans la Palais , autant qu' e
6	baylpiVF0010001a1c ne doit avoir aucunement accreu votre deplaisir , parce qu' il se	peut	faire que lors que l' on leur a écrit
7	baylpiVF0010005a1c pas aussi celle qu' il faut faire pour si ménager qu' on	puisse	être . Ce qui vous a un peu surpris
8	baylpiVF0010005a1c pour payer l' habit , parce que vous vous attendiés que je	pourrois	passer cet été avec l' habit d' hiver
9	baylpiVF0010005a1c vois que c' est un grand frais , mais pourtant on ne	pût	pas s' empêcher en aucune façon
10	baylpiVF0010008a1c argent que dans les choses necessaires , et dont on ne se	peut	pas passer . Vous pourrés ajouter
11	baylpiVF0010008a1c cheval pour le 6 ou 7 de septembre et afin que je	puisse	être au Carla pour le second dima
12	havlniVF0010011a1c suis depuis long tems . avant épuisé tout le credit que ie	nouvois	avoir par 10 ou 12 livres que i' en

Exploring Historical Sources with Language Technology: Results and Perspectives

8 December 2014 - 9 December 2014

An interdisciplinary workshop jointly supported by CLARIN, NeDIMAH and Huygens ING. Please note that registration for this event is now closed.

The programme is now available in PDF [here](#). The call for papers and participation is archived [here](#).

The twitter hashtag for the workshop is #medimah.

Programme

Monday 8th December

09:00 Arrival, registration, welcome and introductions

09:30 Tony McEniry & Helen Baker, *The Corpus as Historian - Using Corpora to Investigate the Past* (abstract, slides)

10:30 Coffee break

11:00 Kat Gupta, *Constructing the "militant suffragist" in T. Carsten Schnörr, *Welt der Kinder*: Knowledge and I. 12:25 Portrayed in Textbooks and Children Books between slides)*11:50 Stefano Menini, *Computational Analysis of Historical*

12:15 Discussion

12:30 Lunch

13:30 Alex O'Connor, *Cendari: Leveraging Natural Language Historical Archives*, (abstract, slides)13:55 Maarten van den Bos & Marilena Coll Ardanuy, *Building European Integration in Dutch digitized newspapers I*14:20 Florentina Armasulu, *Text Encoding and Enrichment I on the policy of Armaments within Western European*

Historical corpora in the CLARIN infrastructure

Monolingual corpora

Corpus	Language	Description	Availability
Open Richly Annotated Cuneiform Corpus, Korp Version	Akkadian	This corpus contains cuneiform texts from Ancient history.	Concordancer

Size: 741,100 tokens	
Annotation: tokenised	
Licence: CC-BY-SA	

Greek Medieval Texts	Ancient Greek	This corpus contains texts from the 4th to the 16th century.	Download
Size: 3.4 million words			
Annotation: no annotation			

Sheffield Corpus of Chinese	Chinese	This corpus contains fictional and non-fictional texts from the Medieval and Modern Chinese periods.	Download
Size: 148,876 words			

Brieven als cultuur (Letters as loot)	Dutch	This corpus contains 1,000 letters from the 17th to the 18th century.	Concordancer
Size: 460,000 words			

Brieven als cultuur (Letters as loot)	Dutch	This corpus contains 1,000 letters from the 17th to the 18th century.	Concordancer
Annotation: lemmatised, Pos-tagged, grammatically tagged			


Brieven als cultuur (Letters as loot)	Dutch	This corpus contains 1,000 letters from the 17th to the 18th century.	Concordancer
Annotation: lemmatised, Pos-tagged, grammatically tagged			

Brieven als cultuur (Letters as loot)	Dutch	This corpus contains 1,000 letters from the 17th to the 18th century.	Concordancer
Annotation: lemmatised, Pos-tagged, grammatically tagged			

Brieven als cultuur (Letters as loot)	Dutch	This corpus contains 1,000 letters from the 17th to the 18th century.	Concordancer
Annotation: lemmatised, Pos-tagged, grammatically tagged			

Brieven als cultuur (Letters as loot)	Dutch	This corpus contains 1,000 letters from the 17th to the 18th century.	Concordancer
Annotation: lemmatised, Pos-tagged, grammatically tagged			

SPEECH DATA & TECHNOLOGY

[Research domains](#) [Tech and Tools](#) [Workshops](#) [Publications](#) [Transcription Portal](#) [Guidelines](#) [News](#)


Technologies and tools for speech data

What kind of technologies and tools can be applied when working with speech data?

- Technologies and tools for speech data
- Automatic Speech Recognition
- Forced Alignment
- Transcription
- Qualitative Data Analysis
- Computational Linguistics
- Subtitles
- Software developed by our team



Humanities scholars in general are well versed with hermeneutic analysis, but sometimes lack the knowledge that is required to understand the technologies and tools that have been developed to digitally process speech data. This understanding is also hampered by the frequent use of abbreviations and jargon in computer science.

To bridge this gap, this section offers descriptions of various technologies and digital tools that apply these technologies. The pages relate to all kinds of techniques that a humanities scholar might want to use when working with spoken data. Per technique, we provide two sections. The first section gives a description of the generic technology. In the second section, we list one or multiple specific tools in which these technologies are made available for research. Additionally, a glossary is provided with an explanation of the most frequently used terms and abbreviations in technologies related to speech and language.

Any machine processing of human written or spoken language requires specific techniques and tools. Broadly, it consists of a sequence of tasks: Recording, Recognition, Analysis.

During recording, speech and any kind of written analog data, must be digitized with sufficient fidelity. Thus, speech is recorded using one of the many audio formats with their specific technological parameters, and written language is recorded as images obtained via scanning.

Recognition is the task of converting raw digital data into symbols. It is thus a categorisation process: in optical character recognition (**OCR**), regions of an image are associated with character symbols, and likewise in automatic speech recognition (**ASR**), fragments of speech are associated with character symbols. Note that there are many types of recognition: speaker diarization aims to determine who is speaking, emotion recognition aims to extract information about a speaker's emotional state.

Home

Tools for normalisation in the CLARIN infrastructure

Tool	Language	Description
Text Tsonorium	Afrikaans, Albanian, Armenian, Basque, Bosnian, Breton, Bulgarian, Catalan, Chinese, Corsican, Croatian, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Finnish,	Automatic construction and execution of workflows, which include normalisation.

- Availability:** [download](#), [web application](#)
- CLARIN Centre:** CLARIN-DK
- Platform:** Ubuntu

Domain: Independent

Licence: GPL

French, Galician, Georgian, German, Greek, Middle Low German, Haitian,

Portuguese, Spanish, Swedish, Turkish, Vietnamese, Welsh, Yiddish, Zulu

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.

Automatic construction and execution of workflows, which include normalisation.</p

Resources

latvian-0287.txt 360.21 KiB 

Mediatype

text/plain

Language

Latvian

Matching Tools

Group by task

Search for tool

Dependency Parsing



>  Open

UDPipe

Distant Reading



>  Open

Voyant Tools

Text Analytics



>  Open

WebLicht Advanced Mode 

switchboard.clarin.eu

Some possible next steps

So some key areas for discussion about actual and potential collaboration are:

- Sharing the platforms and tools for delivering textual data that come from the computational and corpus linguistics communities, many now curated and developed by CLARIN centres,
- Tools for analysis and annotation of texts to enable more effective search
- How to connect tools and texts, flexibly and sometimes in processing pipelines

Other goals for the workshop:

- Find out more about each other: our data, tools, methods, plans, etc.
- Use CLARIN-LIB email list
- Pursue joint projects?
- A joint paper for TPDL?
- Another workshop – topic?